

Refereed Publications

Barati,R.,S. J.Johnson, C.S.McCool,C.S., D.W.Green, G.P.Willhite, and J.T.Liang, "Fracturing Fluid Cleanup by Controlled Release of Enzymes from Polyelectrolyte Complex Nanoparticles", Journal of Applied Polymer Science, In Press.

Chen,F., C.S. McCool, D.W.Green, G.P. Willhite, Experimental and Modeling Study of the Transport of Chromium Acetate Solutions Through Carbonate Rocks, SPE Journal, 15 (June, 2010) pp 1-21

Al-Assi, A. A., G P. Willhite, D.W. Green, C. S.McCool, Formation and Propagation of Gel Aggregates Using Partially Hydrolyzed Polyacrylamide and Aluminum Citrate, SPE Journal, 14 (September, 2009) pp 450-461.

Alhajeri, M. M., D. W. Green, J. Liang, R. E. Pancake, Gel Polymer Extends Arbuckle High-Water-Cut Well Life Oil and Gas J. 104.2 (January 9, 2006) pp 34 - 43.

Nguyen, T., D. W. Green, G. P. Willhite and C. S. McCool, Effects of Gel Composition and Pressure Gradients of Water and Oil on Disproportionate Permeability Reduction of Sandpacks Treated with Polyacrylamide Chromium Acetate Gels, SPE Journal, 11 (June, 2006) pp.145-157.

Jain, R., C. S. McCool, D. W. Green, G. P. Willhite and M. J. Michnick, Reaction Kinetics of the Uptake of Chromium (III) Acetate by Polyacrylamide, SPE Journal, 10 (September, 2005) pp. 247 – 254.

Jin, H., C. S. McCool, G. P. Willhite, D. W. Green and M. J. Michnick, Propagation of Chromium(III) – Acetate Solutions Through Dolomite Rock, SPE Journal, 8 (June, 2003) pp. 107 - 113.

Ganguly, S., G. P. Willhite, D. W. Green and C. S. McCool, The Effect of Fluid Leakoff on Gel Placement and Stability in Fractures SPE Journal, 7 (Sept., 2002) pp 309 - 315.

Willhite, G. P., H. Zhu, D. Natarajan, C. S. McCool and D. W. Green, Mechanisms Causing Disproportionate Permeability in Porous Media Treated With Chromium Acetate/HPAAM Gels, SPE Journal, 7 (March, 2002) pp.100 - 108.

Shaw, A. K., A. Singh, S. Bhattacharya, C. S. McCool, D. W. Green and G. P. Willhite, Permeability Reduction by Treatment with KUSP1 Biopolymer Systems, SPE Journal, 5 (December, 2000) pp. 371 - 376.

Zou, B., C. S. McCool, D. W. Green, G. P. Willhite and M. J. Michnick, Precipitation of Chromium Acetate Solutions, SPE Journal, 5 (September, 2000) pp. 324 - 330.

McCool, C. S., D. W. Green and G. P. Willhite, Fluid-Rock Interaction Between Xanthan - Chromium(III) Gel Systems and Dolomite Core Material, SPE Production and Facilities, 15 (August, 2000) pp. 159 - 167

Zou, B., C. S. McCool, D. W. Green and G. P. Willhite, A Study of the Chemical Interaction Between Brine Solutions and Dolomite, SPE Reservoir Evaluation and Engineering, 3 (June, 2000) pp. 209 - 215.

Raje, M., K. Asghari, S. Vossoughi, D. W. Green and G. P. Willhite, Gel Systems for Controlling CO₂ Mobility in Carbon Dioxide Miscible Flooding, SPE Reservoir Eval and Engineering 2 (April 1999) pp 205 - 210.

Ranganathan, R., R. Lewis, C. S. McCool, D. W. Green and G. P. Willhite, An Experimental Study of the In Situ Gelation Behavior of a Polyacrylamide/Aluminum Citrate "Colloidal Dispersion" Gel in a Porous Medium and Its Aggregate Growth During Gelation Reaction, SPE Journal, 3 (December, 1998) pp 337 - 343

Maxcy, T. A., G. P. Willhite, D. W. Green, and K. Bowman-James, A Kinetic Study of the Reduction of Chromium(VI) to Chromium(III) by Thiourea, Journal of Petroleum Science and Engineering, 19 (1998), pp 253 - 263.

Dona, C. L., D. W. Green, and G. P. Willhite: A Study of the Uptake and Gelation Reactions of Cr(III) Oligomers with Polyacrylamide, Journal of Applied Polymer Science, 64 (1997), pp 1381 - 1391.

Zhuang, Y., C. S. McCool, G. P. Willhite and D. W. Green, A Novel Polymer. II. Investigation on In Situ Gelation of SMRF System in Berea Core, Chin. J. Polymer Science, 13, (1995), pp 66 - 73.

Zhuang, Y., C. S. McCool, G. P. Willhite and D. W. Green, A Novel EOR Polymer. Study on Gelation of Resorcinol Formaldehyde System, Chin J. Polymer. Science, 13, 59 - 65 (1995), pp 59 - 65.

Schoeling, L. G., D. W. Green, G. P. Willhite, and W. L. Watney, Technology Transfer Program to Assist Independent Operators, SPE 27783, peer reviewed manuscript (1995).

Ginosar, D. F. and D. W. Green, A Solution of the Convection-Conduction Heat Transfer Equation in Porous Media by the Von Rosenberg Finite Difference Scheme, Numerical Methods for Partial Differential Equations, 10 (1994), pp. 677 - 687.

Gales, J. R., T. S. Young, G. P. Willhite and D. W. Green, Equilibrium Swelling and Syneresis Properties of Xanthan Gum/Cr(III) Gels, SPE Advanced Technology Series, 2 (April 1994), pp. 190 - 198.

Hejri, S., F. Jousset, D. W. Green, G. P. Willhite and C. S. McCool, In Situ Gelation of Xanthan/Cr(III) Gel Systems in Porous Media, SPE Reservoir Engineering, 8 (November 1993), pp. 299 - 304.

Todd, B. T., G. P. Willhite and D. W. Green, A Mathematical Model of In Situ Gelation of Polyacrylamide by a Redox Process, SPE Reservoir Engineering, 8 (February 1993), pp. 51 - 58.

Eggert Jr., R. W., G. P. Willhite and D. W. Green, Experimental Measurement of the Persistence of Permeability Reduction in Porous Media Treated with Xanthan/Cr(III) Gel Systems, SPE Reservoir Engineering, 7 (February 1992), pp. 29 - 35.

Southard, M. Z., D. W. Green, V. J. Stella and K. J. Himmelstein, Dissolution of Ionizable Drugs Into Unbuffered Solution: A Comprehensive Model for Mass Transport and Reaction in the Rotating Disk, Pharmaceutical Research (January 1992) pp. 58 - 69.

Maxcy, T. A., G. P. Willhite, D. W. Green and K. B. Mertes, Spectroscopic Determination of Chromium(VI) During the Reduction of Chromium(VI) to Chromium(III), *Applied Spectroscopy*, 45 (July 1991) pp. 1036 - 1040.

Marty, L., G. P. Willhite and D. W. Green, The Effect of Flow Rate on the In Situ Gelation of a Chrome/Redox/Polyacrylamide System, *SPE Reservoir Engineering*, 6 (May 1991), pp. 219 - 224.

Hejri, S., D. W. Green and G. P. Willhite, Development of Correlations to Predict Biopolymer Mobility in Porous Media, *SPE Reservoir Engineering*, 6 (February 1991), pp. 91 - 98.

McCool, C. S., D. W. Green and G. P. Willhite, Permeability Reduction Mechanisms Involved in In Situ Gelation of a Polyacrylamide/Chromium(VI)/Thiourea System in Porous Media, *SPE Reservoir Engineering*, 6 (February 1991) pp. 77 - 83.

He, Q., T. S. Young, G. P. Willhite, and D. W. Green, Measurement of Molecular Weight Distribution of Polyacrylamides in Core Effluents by Size - Exclusion Chromatography/Low Angle Laser Light Scattering, *SPE Reservoir Engineering*, 5 (August 1990) pp. 333 - 338.

Green, D. W., Status of EOR Research in the U.S., *The Interstate Oil & Gas Compact & Committee Bulletin*, 4 (June 1990) pp. 75 - 84.

Schoeling, L. G., D. W. Green and G. P. Willhite, Introducing EOR Technology to Independent Operators, *Journal of Petroleum Technology*, 41 (December 1989) pp. 1344 - 1350.

Young, T. S., J. A. Hunt, D. W. Green and G. P. Willhite, Study of Equilibrium Properties of Cr(III) - Polyacrylamide Gels by Swelling Measurement and Equilibrium Dialysis, *SPE Reservoir Engineering*, 4 (August 1989) pp. 348 - 356.

Hunt, J. A., T. S. Young, D. W. Green and G. P. Willhite, A Kinetic Study of the Cr(III)-Polyacrylamide Crosslinking Reaction by Equilibrium Dialysis, *AIChE Journal*, 35, (February 1989) pp. 250 - 258.

Hunt, J. A., T. S. Young, D. W. Green, and G. P. Willhite, Application of Size Exclusion Chromatography in the Measurements of Concentration and Molecular Weight of Some EOR Polymers, *SPE Reservoir Engineering*, 3 (August 1988) pp. 835 - 8

Young, T. S., G. P. Willhite and D. W. Green, Study of Intra-Molecular Crosslinking of Polyacrylamide in Cr(III)-Polyacrylamide Gelation by Size-Exclusion Chromatography, Low Angle Laser Light Scattering and Viscometry, *Polymer Material Science Engineering*, 55 (1986), pp. 791. Also published in *Water Soluble Polymers for Petroleum Recovery*, Plenum Publishing Co., New York, NY (1988) pp. 329

Huang, C. G., D. W. Green and G. P. Willhite, An Experimental Study of the In Situ Gelation of Chromium(+3) Polyacrylamide Polymer in Porous Media, *SPE Reservoir Engineering*, 1 (November 1986), pp. 583 - 592.

Vossoughi, S., J. E. Smith, D. W. Green and G. P. Willhite, A New Method to Simulate the Effects of Viscous Fingering on Miscible Displacement Processes in Porous Media, Society of Petroleum Engineers Journal, 24, No. 1 (February 1984), pp. 56 - 64.

Arriola, A., G. P. Willhite, and D. W. Green, Trapping of Oil Drops in a Noncircular Pore Throat and Mobilization Upon Contact with a Surfactant, Society of Petroleum Engineers Journal, 23, No. 1 (February 1983), pp. 99 -

Jordan, D. S., D. W. Green, R. E. Terry, and G. P. Willhite, The Effect of Temperature on the Gelation Time of Polyacrylamide-Chromium(III) Systems, Society of Petroleum Engineers Journal, 22, No. 4 (August 1982), pp. 463 - 471.

Shah, K. D., D. W. Green, M. J. Michnick, R. E. Terry and G. P. Willhite, Phase Boundaries of Microemulsion Systems as a Way of Characterizing Hydrocarbon Mixtures, Society of Petroleum Engineers Journal, 21, No. 6 (December 1981) pp. 763 - 770.

Terry, R. E., C. G. Huang, D. W. Green, M. J. Michnick, and G. P. Willhite, Correlation of Gelation Times for Polymer Solutions Used as Mobility Control Agents, Society of Petroleum Engineers Journal, 21, No. 2 (April 1981), pp. 229 - 235.

Willhite, G. P., D. W. Green, D. M. Okoye, and M. D. Looney, A Study of Oil Displacement by Microemulsion Systems - Mechanisms and Phase Behavior, Society of Petroleum Engineers Journal, 20, No. 6 (December 1980), pp. 459 - 472.

Dominguez, J. G., G. P. Willhite, and D. W. Green, Phase Behavior of Microemulsion Systems with Emphasis on Effects of Paraffinic Hydrocarbons and Alcohols, Solution Chemistry of Surfactants, Vol. 2, Plenum Publishing Corp., New York (1979), Edited by K. L. Mittal.

Robel, R. J., T. Cotton, D. W. Green, R. J. Kalter, F. W. Preston, W. E. Tyner and G. P. Willhite, Enhanced Oil Recovery Potential in the United States, Chapters I-IV, Office of Technology Assessment, U. S. Congress, (January 1978), pp. 1 - 84.

Knapp, R. M., D. W. Green, E. Pogge, and C. Stanford, Development and Field Testing of a Basin Hydrology Simulator, Water Resources Research, 11, No. 6 (December 1975), pp. 879 - 8

Rosenwald, G. W. and D. W. Green, A Method for Determining the Optimum Location of Wells in an Underground Reservoir Using Mixed Integer Programming, Society of Petroleum Engineers., 14, No. 1 (February 1974), pp. 44 - 54.

Chhatwal, S., D. W. Green, R. L. Cox, and B. Gandhi, Experimental and Mathematical Modeling of Miscible Displacement in Porous Media, Water Resources Research, 9, No. 5 (October 1973), pp. 1369 - 1377.

Knapp, R. M., D. W. Green, E. C. Pogge, and B. Schorn, Generalized Computer Model to Stimulate the Hydrology of a Stream Basin, Proceedings of a Symposium on Watersheds in Transition, American Water Resources Assoc., June 19 - 22, 1972, Fort Collins, Colorado, pp. 132 - 137.

Green, D. W., R. G. Hardy, P. Beri, and C. D. Vickburg, Make Activated Carbon from Coke, *Hydrocarbon Processing*, 50, No. 1 (January 1971), pp. 105 - 108.

Green, D. W., D. F. Merriam, B. Nandan, and G. W. Rosenwald, Some Recent Advances in Methods of Oil and Gas Reserves Estimates, *Proceedings of Eighth World Petroleum Congress*, 3, Moscow, U.S.S.R., June 1971, pp. 177 - 188.

Green, D. W., H. E. Dabiri, R. Prill, and C. F. Weinaug, Numerical Modeling of Unsaturated Ground Water Flow and Comparison of the Model to a Field Experiment, *Water Resources Research*, 6, No. 3 (June 1970), pp. 862 - 874.

Bishop, K. A. and D. W. Green, Hybrid Computer Implementation of the Alternating Direction Implicit Procedure for the Solution of Two-Dimensional Parabolic Partial Differential Equations, *AIChE Journal*, 16 (January 1970), pp. 139 - 143.

Gioia, F. and D. W. Green, Effects of Internal and External Diffusion for the Hydrogenation of Ethylene in a Porous Nickel Catalyst, *AIChE Journal*, 13 (March 1967), pp. 395-396. (Complete work published in *La Chimica E L'Industria (Italy) Anno 48*, Marzo 1966, pp. 237 - 245, by Franco Gioia.)

Babcock, R. E., D. W. Green, and R. H. Perry, Longitudinal Dispersion Mechanisms in Packed Beds, *AIChE Journal*, 12 (September 1966), pp. 922 - 927.

Green, D. W., R. H. Perry, and R. E. Babcock, Longitudinal Dispersion of Thermal Energy Through Porous Media with a Flowing Fluid, *AIChE Journal*, 10 (September 1964), pp. 645 - 6

Perry, R. H. and D. W. Green, Kinetics Sub-Section, *Chemical Engineers' Handbook*, 4th Edition, McGraw-Hill Book Co., Inc., New York (1963), pp. 4 - 3 to 4 - 26.

Perry, R. H., D. W. Green, and J. M. Campbell, Reverse Combustion - A New Oil Recovery Technique, *Journal of Petroleum Technology*, 12 (May 1960), pp. 11 - 12.

Green, D. W. and R. H. Perry, Heat Transfer with a Flowing Fluid Through Porous Media, *Chemical Engineering Progress Symposium Series*, 57 (1960), pp. 61 - 68.

Green, D. W. and R. L. Huntington, Velocities are Critical in Two-Phase Gathering Systems, *Refining Engineer*, 31 (May 1959).

Handbook Editor

Green, D. W. with R. H. Perry (deceased), Editors, and J. O. Maloney, (Assistant Editor), Perry's Chemical Engineers' Handbook, Sixth Edition, McGraw-Hill Book Co., New York, NY, 1984, Spanish translation, 1992.

Green, D. W. with R.H. Perry (deceased), Editors, and J. O. Maloney, (Associate Editor), Perry's Chemical Engineers' Handbook, Seventh Edition, McGraw-Hill Book Co., New York, NY, 1997; Spanish translation, 2002.

Green, D.W. with R.H. Perry (deceased),Editors, Perry's Chemical Engineers' Handbook, Eighth Edition, McGraw-Hill Book Co., New York, NY, 2008.

Books

Green, D. W., with G. P. Willhite, Enhanced Oil Recovery, Society of Petroleum Engineers, Dallas, TX 1998.